

Εξαρτήματα σιδηροσωλήνος γαλβανισμένα

90



Γωνία 90° θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8100 | 1/2 | | 10-150 |
| 8101 | 3/4 | | 10-90 |
| 8102 | 1" | | 10-50 |
| 8103 | 1.1/4 | | 30 |
| 8104 | 1.1/2 | | 22 |
| 8105 | 2" | | 12 |
| 8106 | 2.1/2 | | 7 |
| 8107 | 3" | | 4 |
| 8108 | 4" | | 2 |

92



Γωνία 90° αρσενική-θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8110 | 1/2 | | 10-150 |
| 8111 | 3/4 | | 10-90 |
| 8112 | 1" | | 10-50 |
| 8113 | 1.1/4 | | 30 |
| 8114 | 1.1/2 | | 22 |
| 8115 | 2" | | 12 |
| 8116 | 2.1/2 | | 7 |
| 8117 | 3" | | 4 |
| 8118 | 4" | | 2 |

130



Ταρ

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|-------|
| 8120 | 1/2 | | 10-70 |
| 8121 | 3/4 | | 10-60 |
| 8122 | 1" | | 10-30 |
| 8123 | 1.1/4 | | 20 |
| 8124 | 1.1/2 | | 14 |
| 8125 | 2" | | 10 |
| 8126 | 2.1/2 | | 5 |
| 8127 | 3" | | 4 |
| 8128 | 4" | | 2 |

270



Μούφα δεξιά

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8180 | 1/2 | | 10-180 |
| 8181 | 3/4 | | 10-110 |
| 8182 | 1" | | 10-80 |
| 8183 | 1.1/4 | | 45 |
| 8184 | 1.1/2 | | 35 |
| 8185 | 2" | | 20 |
| 8186 | 2.1/2 | | 12 |
| 8187 | 3" | | 9 |
| 8188 | 4" | | 4 |


280



Μαστός

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8240 | 1/2 | | 10-200 |
| 8241 | 3/4 | | 10-130 |
| 8242 | 1" | | 10-80 |
| 8243 | 1.1/4 | | 10-40 |
| 8244 | 1.1/2 | | 40 |
| 8245 | 2" | | 20 |
| 8246 | 2.1/2 | | 10 |
| 8247 | 3" | | 8 |
| 8248 | 4" | | 4 |


310



Παξιμάδι

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8250 | 1/2 | | 10-400 |
| 8251 | 3/4 | | 10-300 |
| 8252 | 1" | | 10-200 |
| 8253 | 1.1/4 | | 80 |
| 8254 | 1.1/2 | | 70 |
| 8255 | 2" | | 50 |
| 8256 | 2.1/2 | | 25 |
| 8257 | 3" | | 25 |
| 8258 | 4" | | 12 |

300



Τάπα θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8230 | 1/2 | | 10-280 |
| 8231 | 3/4 | | 10-180 |
| 8232 | 1" | | 10-130 |
| 8233 | 1.1/4 | | 10-80 |
| 8234 | 1.1/2 | | 10-60 |
| 8235 | 2" | | 40 |
| 8236 | 2.1/2 | | 25 |
| 8237 | 3" | | 15 |
| 8238 | 4" | | 8 |

290



Τάπα αρσενική

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8220 | 1/2 | | 10-300 |
| 8221 | 3/4 | | 10-200 |
| 8222 | 1" | | 10-120 |
| 8223 | 1.1/4 | | 10-80 |
| 8224 | 1.1/2 | | 10-60 |
| 8225 | 2" | | 40 |
| 8226 | 2.1/2 | | 20 |
| 8227 | 3" | | 15 |
| 8228 | 4" | | 8 |

180



Σταυρός

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|-------|
| 8400 | 1/2 | | 10-70 |
| 8401 | 3/4 | | 10-40 |
| 8402 | 1" | | 28 |
| 8403 | 1.1/4 | | 16 |
| 8404 | 1.1/2 | | 10 |
| 8405 | 2" | | 7 |
| 8406 | 2.1/2 | | 3 |
| 8407 | 3" | | 2 |
| 8408 | 4" | | 1 |

Εξαρτήματα σιδηροσωλήνος γαλβανισμένα

340



Ρακόρ κωνικό θηλυκό

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|-------|
| 8200 | 1/2 | | 10-80 |
| 8201 | 3/4 | | 10-50 |
| 8202 | 1" | | 10-30 |
| 8203 | 1.1/4 | | 20 |
| 8204 | 1.1/2 | | 18 |
| 8205 | 2" | | 10 |
| 8206 | 2.1/2 | | 7 |
| 8207 | 3" | | 4 |
| 8208 | 4" | | 2 |

341



Ρακόρ κωνικό αρσενικό-θηλυκό

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|-------|
| 8210 | 1/2 | | 10-60 |
| 8211 | 3/4 | | 10-40 |
| 8212 | 1" | | 10-35 |
| 8213 | 1.1/4 | | 15 |
| 8214 | 1.1/2 | | 10 |
| 8215 | 2" | | 4 |

271



Μούφα αριστερή-δεξιά

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8190 | 1/2 | | 10-180 |
| 8191 | 3/4 | | 10-110 |
| 8192 | 1" | | 10-80 |
| 8193 | 1.1/4 | | 45 |
| 8194 | 1.1/2 | | 35 |
| 8195 | 2" | | 20 |
| 8196 | 2.1/2 | | - |
| 8197 | 3" | | - |
| 8198 | 4" | | - |

2



Καμπύλη 90° θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|-------|
| 8170 | 1/2 | | 10-90 |
| 8171 | 3/4 | | 10-50 |
| 8172 | 1" | | 28 |
| 8173 | 1.1/4 | | 14 |
| 8174 | 1.1/2 | | 10 |
| 8175 | 2" | | 5 |
| 8176 | 2.1/2 | | 2 |
| 8177 | 3" | | 4 |
| 8178 | 4" | | 2 |

1



Καμπύλη 90° αρσενική-θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8160 | 1/2 | | 10-110 |
| 8161 | 3/4 | | 10-60 |
| 8162 | 1" | | 35 |
| 8163 | 1.1/4 | | 17 |
| 8164 | 1.1/2 | | 12 |
| 8165 | 2" | | 6 |
| 8166 | 2.1/2 | | 3 |
| 8167 | 3" | | 4 |
| 8168 | 4" | | 2 |

41



Καμπύλη 45° θηλυκή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|--------|
| 8060 | 1/2 | | 10-100 |
| 8391 | 3/4 | | 10-60 |
| 8392 | 1" | | 40 |
| 8393 | 1.1/4 | | 22 |
| 8394 | 1.1/2 | | 15 |
| 8395 | 2" | | 9 |
| 8396 | 2.1/2 | | 4 |
| 8397 | 3" | | 2 |
| 8398 | 4" | | 2 |

526



Μουφομαστός

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|-----------|--|--------|
| 8410 | 1/2 | | 10-200 |
| 8411 | 3/4 | | 10-120 |
| 8422 | 1" | | 10-60 |
| 8447 | 3/4 - 1/2 | | 10-140 |
| 8445 | 1" - 1/2 | | 10-80 |
| 8446 | 1" - 3/4 | | 10-80 |

90R



Γωνία 90° θηλυκή συστολική

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|------------|--|-------|
| 8434 | 1/2 - 3/4 | | 10-90 |
| 8435 | 1" - 1/2 | | 10-50 |
| 8436 | 1" - 3/4 | | 10-50 |
| 8439 | 1.1/4 - 1" | | 40 |
| 8442 | 1.1/2 - 1" | | 35 |

245



Μαστός συστολικός

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|---------------|--|--------|
| 8424 | 3/4 - 1/2 | | 10-150 |
| 8425 | 1" - 1/2 | | 10-100 |
| 8426 | 1" - 3/4 | | 10-100 |
| 8432 | 1.1/4 - 3/4 | | 10-60 |
| 8427 | 1.1/4 - 1" | | 10-50 |
| 8431 | 1.1/2 - 3/4 | | 50 |
| 8429 | 1.1/2 - 1" | | 50 |
| 8433 | 1.1/2 - 1.1/4 | | 45 |
| 8430 | 2" - 1" | | 25 |
| 8423 | 2" - 1.1/2 | | 25 |

• Μέγιστη πίεση λειτουργίας 25bar στους -20 - +120°C & 20bar στους +120 - +300°C.
Με πιστοποίηση και για φυσικό αέριο. Κατασκευασμένα και δοκιμασμένα σύμφωνα με EN 10242:1994.

Εξαρτήματα σιδηροσωλήνος γαλβανισμένα

240



Συστολή θηλυκή (Αγγλίας)

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|---------------|--|--------|
| 8331 | 1/2 - 3/4 | | 10-140 |
| 8332 | 1" - 1/2 | | 10-90 |
| 8333 | 1" - 3/4 | | 10-80 |
| 8334 | 1.1/4 - 1/2 | | 10-60 |
| 8335 | 1.1/4 - 3/4 | | 10-60 |
| 8336 | 1.1/4 - 1" | | 10-50 |
| 8337 | 1.1/2 - 1/2 | | 50 |
| 8338 | 1.1/2 - 3/4 | | 50 |
| 8339 | 1.1/2 - 1" | | 45 |
| 8340 | 1.1/2 - 1.1/4 | | 40 |
| 8341 | 2" - 1/2 | | 30 |
| 8342 | 2" - 3/4 | | 30 |
| 8343 | 2" - 1" | | 25 |
| 8344 | 2" - 1.1/4 | | 22 |
| 8345 | 2" - 1.1/2 | | 22 |
| 8347 | 2.1/2 - 1.1/2 | | 14 |
| 8348 | 2.1/2 - 2" | | 10 |
| 8355 | 3" - 1.1/4 | | 10 |
| 8349 | 3" - 1.1/2 | | 10 |
| 8350 | 3" - 2" | | 10 |
| 8351 | 3" - 2.1/2 | | 8 |
| 8352 | 4" - 2" | | 6 |
| 8353 | 4" - 2.1/2 | | 6 |
| 8354 | 4" - 3" | | 6 |

Ταφ συστολικό (συνέχεια 1)

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|-----------------------|--|----|
| 8289 | 1.1/4 - 1.1/2 - 1.1/4 | | 18 |
| 8291 | 1.1/2 - 1/2 - 1.1/2 | | 25 |
| 8292 | 1.1/2 - 3/4 - 1.1/4 | | 25 |
| 8293 | 1.1/2 - 3/4 - 1.1/2 | | 22 |
| 8294 | 1.1/2 - 1" - 1.1/4 | | 22 |
| 8295 | 1.1/2 - 1" - 1.1/2 | | 20 |
| 8296 | 1.1/2 - 1.1/4 - 1.1/4 | | 18 |
| 8297 | 1.1/2 - 1.1/4 - 1.1/2 | | 17 |
| 8299 | 1.1/2 - 2" - 1.1/2 | | 10 |
| 8300 | 2" - 1/2 - 2" | | 15 |
| 8301 | 2" - 3/4 - 2" | | 15 |
| 8302 | 2" - 1" - 2" | | 12 |
| 8304 | 2" - 1.1/4 - 2" | | 12 |
| 8305 | 2" - 1.1/2 - 1" | | 12 |
| 8321 | 2" - 1.1/2 - 1.1/2 | | 10 |

241



Συστολή αρσενική-θηλυκή (Αμερικής)

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|---------------|--|--------|
| 8361 | 3/4 - 1/2 | | 10-200 |
| 8362 | 1" - 1/2 | | 10-140 |
| 8363 | 1" - 3/4 | | 10-140 |
| 8364 | 1.1/4 - 1/2 | | 10-80 |
| 8365 | 1.1/4 - 3/4 | | 10-80 |
| 8366 | 1.1/4 - 1" | | 10-80 |
| 8367 | 1.1/2 - 1/2 | | 10-70 |
| 8368 | 1.1/2 - 3/4 | | 10-70 |
| 8369 | 1.1/2 - 1" | | 10-70 |
| 8370 | 1.1/2 - 1.1/4 | | 10-70 |
| 8371 | 2" - 1/2 | | 30 |
| 8372 | 2" - 3/4 | | 30 |
| 8373 | 2" - 1" | | 30 |
| 8374 | 2" - 1.1/4 | | 30 |
| 8375 | 2" - 1.1/2 | | 30 |
| 8376 | 2.1/2 - 1" | | 20 |
| 8385 | 2.1/2 - 1.1/4 | | 20 |
| 8377 | 2.1/2 - 1.1/2 | | 20 |
| 8378 | 2.1/2 - 2" | | 20 |
| - | 3" - 1" | | 10 |
| 8379 | 3" - 1.1/4 | | 10 |
| 8386 | 3" - 1.1/2 | | 10 |
| 8380 | 3" - 2" | | 15 |
| 8381 | 3" - 2.1/2 | | 15 |
| 8382 | 4" - 2" | | 8 |
| 8383 | 4" - 2.1/2 | | 8 |
| 8384 | 4" - 3" | | 8 |

Ταφ συστολικό (συνέχεια 2)

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|-----------------------|--|----|
| 8306 | 2" - 1.1/2 - 2" | | 10 |
| 8307 | 2" - 2" - 1" | | 10 |
| 8308 | 2.1/2 - 1" - 2.1/2 | | 8 |
| 8309 | 2.1/2 - 1.1/4 - 2.1/2 | | 8 |
| 8310 | 2.1/2 - 1.1/2 - 2.1/2 | | 8 |
| 8311 | 2.1/2 - 2" - 2.1/2 | | 6 |
| 8312 | 3" - 2" - 3" | | 4 |
| 8313 | 3" - 2.1/2 - 3" | | 3 |
| 8314 | 4" - 1/2 - 4" | | 2 |
| 8315 | 4" - 3/4 - 4" | | 2 |
| 8316 | 4" - 1" - 4" | | 2 |
| 8317 | 4" - 1.1/2 - 4" | | 2 |
| 8318 | 4" - 2" - 4" | | 2 |
| 8319 | 4" - 2.1/2 - 4" | | 2 |
| 8320 | 4" - 3" - 4" | | 2 |

130R



Ταφ συστολικό

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|---------------------|--|-------|
| 8260 | 1/2 - 3/4 - 1/2 | | 10-70 |
| 8261 | 1/2 - 1" - 1/2 | | 10-60 |
| 8262 | 3/4 - 1/2 - 1/2 | | 10-70 |
| 8263 | 3/4 - 1/2 - 3/4 | | 10-60 |
| 8264 | 3/4 - 3/4 - 1/2 | | 10-60 |
| 8265 | 3/4 - 1" - 1/2 | | 10-50 |
| 8266 | 3/4 - 1" - 3/4 | | 10-40 |
| 8267 | 3/4 - 1.1/4 - 3/4 | | 35 |
| 8268 | 1" - 1/2 - 1/2 | | 10-50 |
| 8269 | 1" - 1/2 - 3/4 | | 10-50 |
| 8270 | 1" - 1/2 - 1" | | 10-40 |
| 8271 | 1" - 3/4 - 1/2 | | 10-40 |
| 8272 | 1" - 3/4 - 3/4 | | 10-40 |
| 8273 | 1" - 3/4 - 1" | | 10-40 |
| 8274 | 1" - 1" - 1/2 | | 10-40 |
| 8275 | 1" - 1" - 3/4 | | 10-30 |
| 8276 | 1" - 1.1/4 - 1" | | 30 |
| 8277 | 1" - 1.1/2 - 1" | | 22 |
| 8278 | 1.1/4 - 1/2 - 1.1/4 | | 30 |
| 8280 | 1.1/4 - 3/4 - 3/4 | | 35 |
| 8281 | 1.1/4 - 3/4 - 1" | | 32 |
| 8282 | 1.1/4 - 3/4 - 1.1/4 | | 30 |
| 8283 | 1.1/4 - 1" - 3/4 | | 30 |
| 8284 | 1.1/4 - 1" - 1" | | 28 |
| 8285 | 1.1/4 - 1" - 1.1/4 | | 25 |
| 8286 | 1.1/4 - 1.1/4 - 3/4 | | 25 |
| 8287 | 1.1/4 - 1.1/4 - 1" | | 25 |
| 8288 | 1.1/4 - 1.1/2 - 1" | | 20 |

221



Τερματικό με διπλή διανομή

| ΚΩΔ. | ΔΙΑΣΤΑΣΗ | | |
|------|----------|--|----|
| 8325 | 1/2 | | 10 |
| 8326 | 3/4 | | 10 |
| 8327 | 1" | | 10 |